

Panaji, 8th September, 2006 (Bhadra 17, 1928)

SERIES I No. 23



# OFFICIAL GAZETTE

## GOVERNMENT OF GOA

### EXTRAORDINARY

### No. 3

#### GOVERNMENT OF GOA

Department of Public Health

#### Notification

71/101/84-I/PHD/Part

Government is pleased to direct the levy of fees for treatment in Goa Medical College Hospital, Asilo Hospital, Hospicio Hospital and other Health Care Centres of Directorate of Health Services, Goa Dental College and Institute of Psychiatry and Human Behaviour, in respect of:

1. All patients who are foreigners.
2. All employees of Corporate Houses/Public Sector undertakings.
3. All Bank employees.

Notification shall come into force with effect from date of publication in the Official Gazette.

The levy of fees shall be, as per Schedule I, appended to this Notification.

Jessie Freitas, Under Secretary (Health-II).

Porvorim, 25th August, 2006.

#### SCHEDULE - I

Registration Charges

Rs. 20/-

Private Room I. Rs. 200/- Single occupancy double room.  
II. Rs. 350/- Single Room with attendant,  
Non A/C.

III. Rs. 450/- Single Room with attendant, A/C.

IV. Rs. 600/- VIP Room for other then VIPs.

#### Biochemical Investigations

I.	Blood Sugar	20/-
II.	Blood Urea	20/-
III.	Serum Creatinine	20/-
IV.	Serum Electrolytes	50/-
V.	T3, T4, TSH	450/-
VI.	Serum Protien	30/-
VII.	Albumin/Globulin	30/-
VIII.	Uric acid	30/-
IX.	Serum Cholesterol	30/-
X.	Serum Triglycerides	30/-
XI.	Serum HDL Cholesterol	50/-
XII.	Serum Fatty acids	Not done
XIII.	Serum Bilirubin	50/-
XIV.	SGOT	50/-
XV.	SGPT	50/-
XVI.	ALP	60/-
XVII.	ACP	70/-
XVIII.	Serum Amylase	70/-
XIX.	CPK	200/-
XX.	Serum electrophoresis	100/-
XXI.	Ketosteroids	200/-
XXII.	VMA	300/-
XXIII.	Clearance test	200/-

#### Pathological Investigations

I.	HB, TC, DC, PCV, patcht, Count, Bd. indices	100/-
II.	FNAC	150/-
III.	Histopathology	200/300/-
IV.	Cryostat	200/-
V.	ANA	200/-
VI.	Bone Marrow	100/-
VII.	Review of Slides	100/-
VIII.	Fluids Pap smear	70/-
IX.	Pathological Autopsy	500/-

*Microbiological Investigations***A. Microscopy**

I.	Wet Mount, Gram Stain, Stool Wet mount & hanging drop	30/-
II.	AFB Staining and smear for malarial Parasite	40/-
III.	QBC for malaria parasite Microfilar	50/-
IV.	Flourescent staining for AFB	70/-

*Culture*

I.	Culture for any clinical material	80/-
II.	Blood Culture/OT sterility etc.	120/-
III.	Fungal culture/AFB culture & Culture sensitivity of Clinical culture of sample	150/-
IV.	Anaerobic culture & sensitivity	200/-

*Serology*

I.	VDRL rest, TPHA test CRP test, Latex test for HBs Ag	60/-
II.	Widal test, Rneumdloed factor, Pregnancy test, ASO test	70/-
III.	Test for Infactions Mononlisteosis Agglutination test Weil Eeiling Test	100/-
IV.	Latex test for Bacterral Maningitis	130/-

*Immunological Studies*

I.	Rapid test for malaria Antigen	100/-
II.	Elisa Test-HIV voluntary	150/-
	Visa & Others	10/-
III.	Leptospiroid	100/-
IV.	Dengue	150/-
V.	Japanese Encephalities	150/-
VI.	WN fexer	150/-
VII.	Brucellosis	150/-
VIII.	Chlemydis Anligen	150/-
IX.	Elisa Hepatities	A 150/- C 150/- E 150/-
X.	Tlerpes Simplex Virus	1 lgG 150/- 1 gm 150/- 1 lgG 150/- 1 gm 150/-
XI.	CMV	150/-
XII.	TORCH Rspis	900/-

*Radiological Investigation*

I.	C. T. Scan	CT-Head Rs. 600/- (Rs. 1500/- for Non GMC patients) CT-Abdomen Rs. 800/- (Rs. 1800/- for non GMC patients). Contrast - Rs. 500/-	
II.	USG	USG without film 200/- USG with film 300/-	
III.	MRI	Rs. 1000/- (Rs. 3000/- for non GMC patients)	
IV.	Plain X-Ray	50/-	
V.	Bariaim Investigation	300/-	
VI.	IVP	500/-	
VII.	Memography	400/-	
		(Rs. 500 for Pvt. Patients)	

*Cardiological Investigations*

I.	Stress Test	Rs. 250/- (Rs. 300/- non GMC patients)
II.	Echo	Rs. 250/- (Rs. 300/- for non GMC patients)
III.	Respiratory pulmonary function test	Rs. 150/-
IV.	E.C.G.	Rs. 20/- (Rs. 30/- for non GMC patients)

*Mortuary*

Private dead bodies	Rs. 100/- per day.
GMC dead bodies – After 48 hrs.	Rs. 50/- per extra day.
Embalming charges	Rs. 1000/- per body.

*Medical Certificate*

a)	Certificate issued to person for the purpose of workman compensation ACT	Rs. 150/-
b)	Certificate C.T.C. Claim	Rs. 150/-
c)	Certificate issued for other purpose	
i)	Certificate both medical opinion	Rs. 50/-
ii)	Certificate recommending leaves fitness	Rs. 50/-
iii)	Certificate of fitness for appointment in case of	
a)	Non Gazatted appointment	Rs. 100/-
b)	Gazatted appointment	Rs. 200/-
c)	Certificate for any other private purpose	Rs. 200/-
d)	Handicap Certificate	Rs. 100/-
e)	Medical Board for Private Institution	Rs. 300/-
f)	Medical reimbursement Certificate	Rs. 100/-

*Physiotherapy*

A)	OPD Physiotherapy Registration	Rs.100/- (non GMC patient)
B)	OPD Occupational Therapy	Rs. 100/- (non GMC patient)

*Radiotherapy*

A)	Registration fee	Rs. 100/- (5 days) non GMC patients.
----	------------------	--------------------------------------

*Operations*

A)	Major	Rs. 1200/-
B)	Minor	Rs. 600/-
C)	Other Operative Procedures	Rs. 400/-
D)	Normal Deliveries	Rs. 600/-

*Dialysis*

Peritonual	Rs. 300/- (Emergency)
Haemodialysis	Rs. 1200/- (Maintenance)

Department of Urban Development

Directorate of Municipal Administration

---

**Notification**

10/361/2001/DMA/Vol.I/1574

Whereas Circular No. 10/361/2001/DMA/Vol.I/ /3813 dated 2<sup>nd</sup> March, 2006 was issued by this Directorate with the approval of the Government to all the Municipalities and the Corporation of the City of Panaji to adopt the Model Building Bye-laws with immediate effect.

Whereas a Public Interest Litigation WP No. 228 of 2006 has been filed before the Hon'ble Supreme Court of India against all State Government in which State of Goa is also a Party.

And whereas in the matter of *Suo Moto* Writ Petition No.1 of 2005 verses State of Goa, the Hon'ble High Court of Goa has passed an Order dated 19-6-2006.

Now, therefore, in exercise of the powers conferred by sub-section (1) of Section 308 of the Goa, Daman and Diu Municipalities Act, 1968 (Act 7 of 1969), the Government of Goa, hereby makes the following Model Building Byelaws prepared by Town and Country Planning Organization, Government of India, Ministry of Urban Development, New Delhi.

**To provide facilities in the Public Building excluding Domestic Buildings for Handicapped Persons:**

**1. Definitions**

**Ambulant Disabled People:** Disabled who are able to walk but who may depend on prostheses (Artificial Limbs) orthoses (Claiipers), Sticks, crutches or walking aids.

**Non-Ambulant Disabled People:** Disabled people with impairments that confine them to wheelchair.

**Wheel Chair:** Chair used by disabled people for mobility

- (i) Size of small wheel chair: 750 x 1050 mm
- (ii) Size of large wheel chair: 800 x 1500 mm

**2. Scope:**

These bye-laws are applicable to public building and exclude domestic buildings. Building which shall provide access to ambulant disabled and Non-Ambulant disabled are listed below. Distinction is made for building to be designed for the use of large wheel chairs and small wheel chair.

**3. Building to be designed for Ambulant Disabled People:**

Higher Secondary School, Conference Hall, Dance Halls, Youth Centres, Youth Clubs, Sport Centres, Sport Pavilions, Boat Club Houses, Ice Rinks, Bowling Centres, Swimming Pools, Police Stations, Law Courts, Courts Houses, Sport Stadiums, Theaters, Concert Halls, Cinemas, Auditorias, Small Offices (the maximum plinth area 1400 Sq.mt) Snack Bars, Cafes and banqueting rooms (for capacity above 50 dinners).

**Note:**

i) In sport stadiums provisions shall be made for non-ambulant spectators (small wheel chair).

ii) @ 1:1000 up to 10,000 spectators and @ 1:2000 for spectators above 10,000.

iii) In Theaters, Concert Halls, Cinemas and Auditoria provisions shall be made for non-ambulant spectators (Small Wheel Chairs) @ 1/250 up to 1000 spectators and 1/500 for spectators above 1000.

**4. Building to be designed for Non-Ambulant Disabled People:**

Schools for physically handicapped, cremation, building as mentioned in 3, Botanical Gardens, Religious Building, Old People Clubs, Village Halls, Day Centers, Junior Training Centres, Post Offices, Banks, Dispensaries, Railway Stations, Shops, Super Markets, and Departmental stores.

**Note:** Large wheel chair criteria shall be applicable on ground floors of the following building, post offices, banks, dispensaries, railway stations, shops, supermarkets and departmental stores.

**5. Building to be designed for Non-Ambulant People (using small wheel chairs):**

Public lavatories in Tourist Sports, Clubs Motels, Professional and Scientific Institution, Museum,

Art Galleries, Public Libraries, Laborites, Universities, College for further Education, Teachers Training College, Technical College, Exhibition Halls, Dentist Surgeries, Administrative Department of the Hospitals, Service Stations, Car Parking, Building Airports Terminals, Bus Terminals, Factories Employing Handicapped for Sedentary Works, Large Offices (with plinth area above 1400 sq.mt), Tax Offices, Passport Offices, Pension Offices and Labour Offices, Cafes, Banqueting Rooms and Snack Bars (For capacity above 100 dinners).

#### 6. Building Requirements:

❖ The following building requirements are to be provided for building mentioned above.

##### ❖ Site Planning

Access path from plot entry and surface parking to building entrance shall be minimum of 1800 mm wide having regular surface without any steps.

The parking of vehicles of disabled people two equivalent car spaces (ECS) shall be provided near entrance of 30 m from building entrance.

#### 7. Approach to Plinth Level:

Ramp shall be provided to enter the building, minimum width of ramp shall be 1800 mm with maximum gradient 1: 12, length of ramp shall not exceed 9.0 m having 900 mm high hand rail on both sides extending 300 mm on both sides of ramps. Minimum gap from the adjacent wall to the handrail shall be 50 mm.

Entrance landing shall be provided adjacent to ramp with the minimum dimension 1800 x 2000 mm.

Minimum Clear opening for the entrance door shall be 1000 mm.

Threshold shall not be raised more than 12 mm.

For stepped approach size of tread shall not be less than 275 mm and maximum riser shall be 150 mm.

#### 8. Stairways:

Height of the riser shall not be more than 150 mm and width of the tread not less than 275 mm, nosing if provided shall not extend beyond 25 mm. Maximum number of risers on a flight shall be limited to 12.

#### 9. Lifts:

Whenever lift is required as per bye-laws, provision of at-least one lift shall be made for Non-Ambulant disabled (using small wheel chairs with the following minimum dimensions of lift).

Clear internal depth	1090 mm
Clear internal width	1750 mm
Entrance door width	910 mm

A handrail not less 600 mm long at 1000 mm above floor level shall be fixed adjacent to the control panel.

#### 10. Toilets:

❖ One special W.C. in a set of toilet shall be provided for the use of disabled. No additional provision of W.C. is to be made for disabled.

Size of the W. C. shall depend on the category of disabled for whom it is has been provided.

All doors in W.C s shall open outside.

The type of W.C. shall be European with seat height as 500 mm.

Handrails, where provided shall have min 25 mm dia.

##### ❖ Provision of W.Cs in buildings without lift:

Provision of special W.C. shall be made on all floors for building designed for ambulant disabled persons.

For building designed for non-ambulant disabled special W.C. shall be provided at Ground Floor. Size of W.C. shall depend on the type of wheel chair used by the disabled.

##### ❖ Provisions of W.Cs in building with lift:

Provision of Special W.C. shall be made on all floors. Size will depend on the category of disabled for whom it has been provided.

##### ❖ Toilet Details

For Toilets designed for Ambulant Disabled

The minimum size of W. C. shall be 1075 x 1650 mm with a minimum depth of 1450 mm from entry door 900 mm. Long handrail on the side closer to W. C. with a clear width between the handrails

shall be 900 mm and height of handrails shall be 800 mm from floor level.

Minimum size of the clear door opening shall be 780 mm.

❖ For Toilets Designed for Non-Ambulant Disabled Small Wheel Chair.

The minimum size of W. C. shall be 1350 x 1500 mm with a minimum depth of 1500 mm from entry door. 900 mm long handrail on the side closer to W.C. shall be provided. To provide movement space for wheel chair, W. C. seat shall be fixed towards one side to the opposite adjacent wall. The centerline of W.C. from the adjacent wall shall be 400 mm and minimum 950 mm from the other wall.

Minimum size of the clear door opening shall be 780 mm.

❖ For Toilets Designed for Non-Ambulant Disabled Using Large Wheel Chair.

The minimum size of W. C. shall be 1500 x 1750 with a minimum depth of 1750 mm for entry door. 900 mm long handrail on the side wall closer to W. C. shall be provided. To provided movement space for wheel chair, W. C. seat shall be fixed towards one side of the opposite wall. The centerline of the W. C. from the adjacent wall shall be 400 mm and a minimum of 1100 from the other wall. Min. size of clear door opening shall be 860 mm.

*Guidance for Water Harvesting:*

Notes for general guidance for water supply arrangements:

1. *For New Construction:* Provision shall be made for under ground tank for the storage of water, having capacity at 200 l. per person with

adequate pumping arrangements to supply water to upper floors. Filtered water connection will be allowed only for use of drinking and bathing needs. For other purpose i.e. flushing and gardening etc., the individual shall be required to have own arrangements of tube well water within the premises. While according sanction to Layout Plan, the Authority shall make special mention that provision for space shall be kept for the construction of under ground reservoir of adequate capacity along with booster pumping station.

2. Arrangements as given in 1 above shall also be provided in Group Housing Societies.

3. The plumbing arrangements in case of new constructions shall be made in a way that the potable water shall be used for drinking, cooking & bathing only and for rest of the uses, provision for ground water can be made with dual piping system.

4. Low capacity cistern should preferably be provided instead of normal 12.5 l. capacity.

5. *Water Harvesting:* Water harvesting through storing of water runoff including rainwater in all new buildings on plots of 100 sq. mt. and above will be mandatory. The plans submitted to the local bodies shall indicate the system of storm water drainage along with points of collection of rain water in surface reservoirs or in recharge wells

6. All building having a minimum discharge of 10,000 l. and above per day shall incorporate waste recycling system. The recycled water should be used for horticultural purposes.

By order and in the name of the Governor  
of Goa.

*Daulat Hawaldar*, Director of Municipal  
Administration/ex officio Special Secretary.

Panaji, 8th September, 2006.